
bootstrap-py Documentation

Release 1.0.2

Kouhei Maeda <mkouhei@palmtb.net>

Mar 26, 2023

Contents

1	Bootstrap Python Package	3
1.1	Status	3
1.2	Requirements	3
1.3	Features	3
1.4	Usage	4
2	References	7
3	ChangeLog	11
3.1	1.0.2 (2020-09-19)	11
3.2	1.0.1 (2020-04-26)	11
3.3	1.0.0 (2020-04-26)	11
3.4	0.8.2 (2019-03-18)	11
3.5	0.8.1 (2019-03-18)	12
3.6	0.8.0 (2019-03-18)	12
3.7	0.7.0 (2018-11-03)	12
3.8	0.6.0 (2016-06-08)	12
3.9	0.5.1 (2016-05-17)	12
3.10	0.5.0 (2016-05-07)	13
3.11	0.4.8 (2016-04-25)	13
3.12	0.4.7 (2016-04-24)	13
3.13	0.4.6 (2016-04-21)	13
3.14	0.4.5 (2016-04-06)	14
3.15	0.4.4 (2016-04-05)	14
3.16	0.4.3 (2016-04-04)	14
3.17	0.4.2 (2016-03-08)	15
3.18	0.4.1 (2016-03-07)	15
3.19	0.4.0 (2016-03-07)	15
3.20	0.3.0 (2016-02-21)	15
3.21	0.2.1 (2016-02-16)	16
3.22	0.2.0 (2016-02-15)	16
3.23	0.1.1 (2016-02-02)	16
3.24	0.1.0 (2016-02-02)	16
4	Indices and tables	17
	Python Module Index	19

Contents:

Bootstrap Python Package

The `bootstrap-py` provides generating the Python packages.

1.1 Status



1.2 Requirements

- Python 3.7 over

1.3 Features

- Generating Python package.
- Checking Python package name existence at PyPI.
- Test and conde checking environment is configured with the [Tox](#), [Pytest](#), and others.
 - [pycodestyle](#)
 - [pytest-cov](#)
 - [pytest-flake8](#)
 - [Pylint](#)
 - [pydocstyle](#)

- Generating documentation automatically with the [Sphinx](#).
- Configuration Git repository, initial commit.
- Generate sample code using `--with-samples` option.

1.4 Usage

1.4.1 Install bootstrap-py

Install bootstrap-py:

```
$ virtualenv venv
$ . venv/bin/activate
(venv)$ python -m pip install bootstrap-py
or
(venv)$ python -m pip wheel bootstrap-py
```

or:

```
$ pip install --user bootstrap-py
```

1.4.2 Generate Python package

Generate your Python package.:

```
(venv)$ bootstrap-py create -a 'Your author name' -e 'your-author-email@example.org' \
-u 'https://your-package-website.example.org' -o '/path/to/package-dir' \
-l 'select-the-license' 'your-package-name'
(venv)$ deactivate
$ cd /path/to/package-dir
$ ls
MANIFEST.in  docs      pytest.ini  setup.py    utils
README.rst   libneta   setup.cfg   tox.ini
```

1.4.3 List license choices

List license description choices.:

```
(venv)$ bootstrap-py list -l
GPL          : GNU General Public License (GPL)
CPL          : Common Public License
IOSL         : Intel Open Source License
GPLv3+       : GNU General Public License v3 or later (GPLv3+)
(omit)
```

1.4.4 Using tox

Running test with tox:


```
$ pip install --user tox
$ tox
(omit)
```

summary

```
py38: commands succeeded
py37: commands succeeded
pycodestyle: commands succeeded
pydocstyle: commands succeeded
docs: commands succeeded
congratulations :)
```


CHAPTER 2

References

`bootstrap_py.control.`

`bootstrap_py.control.retrieve_metadata()`

Retrieve metadata.

Return type *bootstrap_py.classifiers.Classifiers*

Returns `Classifiers()`

`bootstrap_py.control.print_licences(params, metadata)`

Print licenses.

Parameters

- **params** (*argparse.Namespace*) – parameter
- **metadata** (*bootstrap_py.classifier.Classifiers*) – package metadata

`bootstrap_py.control.check_repository_existence(params)`

Check repository existence.

Parameters **params** (*argparse.Namespace*) – parameters

`bootstrap_py.control.check_package_existence(params)`

Check package existence.

Parameters **params** (*argparse.Namespace*) – parameters

`bootstrap_py.control.generate_package(params)`

Generate package repository.

Parameters **params** (*argparse.Namespace*) – parameters

`bootstrap_py.package.`

class `bootstrap_py.package.PackageData(args)`

Bases: `object`

Package meta data class.

```
default_version = '0.1.0'
    Configured the default “version” of setup.setup().

warning_message = '##### ToDo: Rewrite me #####'
    Users should rewrite parameters after they generate Python package.

to_dict()
    Convert the package data to dict.
```

```
class bootstrap_py.package.PackageTree(pkg_data)
    Bases: object

    Package directory tree class.

    template_name = 'bootstrap_py'
        Jinja2 template name

    suffix = '-bootstrap-py'
        the suffix name of working directory for generating

    init = '__init__.py'
        init filename

    exec_perm = 493
        default permission

    pkg_dirs = ['{module_name}', '{module_name}/tests']
        include directories to packages

    move()
        Move directory from working directory to output directory.

    clean()
        Clean up working directory.

    generate()
        Generate package directory tree.

    vcs_init()
        Initialize VCS repository.
```

bootstrap_py.classifiers.

```
class bootstrap_py.classifiers.Classifiers
    Bases: object

    Classifiers.

    url = 'https://pypi.python.org/pypi?%3Aaction=list_classifiers'
        list_classifiers url

    prefix_status = 'Development Status :: '
        prefix status

    prefix_lic = 'License :: OSI Approved :: '
        prefix licences

    status()
        Development status.

    licenses()
        OSI Approved license.

    licenses_desc()
        Remove prefix.
```

bootstrap_py.docs.

bootstrap_py.docs.**build_sphinx** (*pkg_data*, *projectdir*)

Build sphinx documentation.

Return type int

Returns subprocess.call return code

Parameters

- **pkg_data** (*bootstrap_py.control.PackageData*) – package meta data
- **projectdir** (*str*) – project root directory

bootstrap_py.pypi.

bootstrap_py.pypi.**PYPI_URL** = 'https://pypi.org/pypi/{0}/json'

PyPI JSONC API url

bootstrap_py.pypi.**package_existent** (*name*)

Search package.

- *bootstrap_py.exceptions.Conflict* exception occurs when user specified name has already existed.
- *bootstrap_py.exceptions.BackendFailure* exception occurs when PyPI service is down.

Parameters **name** (*str*) – package name

bootstrap_py.vcs.

class bootstrap_py.vcs.**VCS** (*repo_dir*, *metadata*)

Bases: object

VCS class.

bootstrap_py.exceptions.

exception bootstrap_py.exceptions.**Error**

Bases: Exception

Base error class.

with_traceback ()

Exception.with_traceback(tb) – set self.__traceback__ to tb and return self.

exception bootstrap_py.exceptions.**NotFound**

Bases: *bootstrap_py.exceptions.Error*

Not Found.

with_traceback ()

Exception.with_traceback(tb) – set self.__traceback__ to tb and return self.

exception bootstrap_py.exceptions.**Conflict**

Bases: *bootstrap_py.exceptions.Error*

Conflict.

with_traceback ()

Exception.with_traceback(tb) – set self.__traceback__ to tb and return self.

exception bootstrap_py.exceptions.**BackendFailure**

Bases: *bootstrap_py.exceptions.Error*

PyPI service down.

with_traceback()

Exception.with_traceback(tb) – set self.__traceback__ to tb and return self.

3.1 1.0.2 (2020-09-19)

- Fixes raise-missing-from pylint violation.

3.2 1.0.1 (2020-04-26)

- Fixes metadata.
- Appends logn_description_content_type.
- Changes to use twine check instead of setup.py check in pre-commit hook script.

3.3 1.0.0 (2020-04-26)

- Applies semantic versioning.
- Supports Python3.8.
- Changes use pytest-flake8 instead of pytest-flakes.
- Updates templates.
- Fixes pre-commit hook script.
- Removes _build directory before executing pytest.

3.4 0.8.2 (2019-03-18)

- Revert format xztar to gztar.

3.5 0.8.1 (2019-03-18)

- Supports installing with wheel.
- Changes sdist format using xztar instead of gztar.
- Fixes README.

3.6 0.8.0 (2019-03-18)

- Supports Python 3.7.
- Drops Python 3.5, 3.6.

3.7 0.7.0 (2018-11-03)

- Fixes package_existent for the new PyPI API.
- Updates templates.
- Fixes pylint violations.
- Unsupports Python 2.x and PyPy (compatible Python 2.7).
- Supports Python 3.7.
- Fixes handling empty command without arguments. (Thanks [@sourcepirate](#))

3.8 0.6.0 (2016-06-08)

- Uses pycodestyle instead of pep8.

3.9 0.5.1 (2016-05-17)

- Adds `--doctest-modules` option.
- Fixes pylint option argument.
- Removes doctest exception sample.

Changes follows when enable doctest-modules.:

```
diff --git a/pytest.ini b/pytest.ini
index 635a7f9..15cc929 100644
--- a/pytest.ini
+++ b/pytest.ini
@@ -7,6 +7,7 @@ addopts =
     --cov your_package_name
     --cov-report=term
     --cov-report=html
+    --doctest-modules
+
 pep8ignore =
```

(continues on next page)

(continued from previous page)

```

        setup.py ALL
        docs/source/conf.py ALL
diff --git a/tox.ini b/tox.ini
index 141d468..b8c1f32 100644
--- a/tox.ini
+++ b/tox.ini
@@ -10,7 +10,7 @@ envlist =

[testenv]
commands =
-   py.test --pylint --pylint-rcfile={toxiniidir}/.pylintrc
+   py.test --pylint --pylint-rcfile={toxiniidir}/.pylintrc your_package_name

[py]
deps=

```

3.10 0.5.0 (2016-05-07)

- Adds `--with-samples` options; generating sample code.
- Fixes bugs module name when package name includes hyphen.
- Fixes comparing version bug in updatable for Python3.
- Some refactorings.

3.11 0.4.8 (2016-04-25)

- Fixes warning of build sphinx without docs/source/_static directory.
- Unsupports IP address url.

3.12 0.4.7 (2016-04-24)

- Adds url validator.
- Adds long description checker.

3.13 0.4.6 (2016-04-21)

- Fixes `.travis.yml` template.

Generated package with v0.4.5 or less that has bugs `.travis.yml` configuration file. Modify the follows manually.:

```

diff --git a/.travis.yml b/.travis.yml
index ab128da..600125e 100644
--- a/.travis.yml
+++ b/.travis.yml
@@ -14,6 +14,11 @@ after_success:
-   coveralls --verbose

```

(continues on next page)

(continued from previous page)

```
matrix:
+   allow_failures:
+     - env: TOX_ENV=py27
+     - env: TOX_ENV=py33
+     - env: TOX_ENV=py34
+     - env: TOX_ENV=pypy
+   include:
-     python: 3.5
-     env: TOX_ENV=py35
+     - python: 3.5
+       env: TOX_ENV=py35
```

3.14 0.4.5 (2016-04-06)

- Fixes tox.ini template.

Generated package with v0.4.4 or less that has bugs tox.ini configuration file. Modify the follows manually.

- Fixes *your_package_name* with snake case. Modify the follows manually.:

```
diff --git a/tox.ini b/tox.ini
index a9d823f..db825cc 100644
--- a/tox.ini
+++ b/tox.ini
@@ -49,7 +49,7 @@ basepython = pypy
[testenv:pep257]
deps=
    pep257
-commands = pep257 bootstrap_py
+commands = pep257 your_package_name
basepython = python3.5

[testenv:docs]
```

3.15 0.4.4 (2016-04-05)

- Adds symlink to pre-commit hook.

Generated package with v0.4.3 or less that has bugs pre-commit hook script. Modify the follows manually.:

```
$ chmod +x utils/pre-commit
$ ln -s ../../utils/pre-commit .git/hooks/pre-commit
```

3.16 0.4.3 (2016-04-04)

- Fixes pre-commit hook script permission.

3.17 0.4.2 (2016-03-08)

- Fixes configuratuon version, release.
- Fixes url, author_email in setup.py.

Genarated package with v0.4.1 or less that has bugs Sphinx documentation. Modify the follows manually.

- Fixes docs/source/index.rst:

```
diff --git a/docs/source/index.rst b/docs/source/index.rst
index b3404ac..d8bdc83 100644
--- a/docs/source/index.rst
+++ b/docs/source/index.rst
@@ -16,8 +16,8 @@ Contents:

    CHANGELOG

- Indices and tables
- =====
+Indices and tables
+=====

* :ref:`genindex`
* :ref:`modindex`
```

- Renames docs/source/README to docs/source/README.rst.
- Fixes documentation version in docs/source/conf.py.
- Fixes auth_email, url in setup.py.

3.18 0.4.1 (2016-03-07)

- Adds exception handler package update.
- Fixes some docstring.

3.19 0.4.0 (2016-03-07)

- Adds checking latest version.
- Fixes Sphinx template bugs.
- Does some refactoring.

3.20 0.3.0 (2016-02-21)

- git init and initial commit.
- Adds --no-check option.
- Fixes list subcommand.

3.21 0.2.1 (2016-02-16)

- Fixes failing create sub-command.

3.22 0.2.0 (2016-02-15)

- Adds create, list sub-command.
 - “create”: generating Python package.
 - “list”: Print license description for choices.
- Changes mutually exclusive group; username, url options.
- Add checking package name in PyPI.
- Adds some exception handling.

3.23 0.1.1 (2016-02-02)

- Fixes README template

3.24 0.1.0 (2016-02-02)

- First release

CHAPTER 4

Indices and tables

- `genindex`
- `modindex`
- `search`

b

- `bootstrap_py.classifiers`, 8
- `bootstrap_py.control`, 7
- `bootstrap_py.docs`, 9
- `bootstrap_py.exceptions`, 9
- `bootstrap_py.package`, 7
- `bootstrap_py.pypi`, 9
- `bootstrap_py.vcs`, 9

B

BackendFailure, 9
bootstrap_py.classifiers (module), 8
bootstrap_py.control (module), 7
bootstrap_py.docs (module), 9
bootstrap_py.exceptions (module), 9
bootstrap_py.package (module), 7
bootstrap_py.pypi (module), 9
bootstrap_py.vcs (module), 9
build_sphinx() (in module bootstrap_py.docs), 9

C

check_package_existence() (in module bootstrap_py.control), 7
check_repository_existence() (in module bootstrap_py.control), 7
Classifiers (class in bootstrap_py.classifiers), 8
clean() (bootstrap_py.package.PackageTree method), 8
Conflict, 9

D

default_version (bootstrap_py.package.PackageData attribute), 7

E

Error, 9
exec_perm (bootstrap_py.package.PackageTree attribute), 8

G

generate() (bootstrap_py.package.PackageTree method), 8
generate_package() (in module bootstrap_py.control), 7

I

init (bootstrap_py.package.PackageTree attribute), 8

L

licenses() (bootstrap_py.classifiers.Classifiers method), 8
licenses_desc() (bootstrap_py.classifiers.Classifiers method), 8

M

move() (bootstrap_py.package.PackageTree method), 8

N

NotFound, 9

P

package_existent() (in module bootstrap_py.pypi), 9
PackageData (class in bootstrap_py.package), 7
PackageTree (class in bootstrap_py.package), 8
pkg_dirs (bootstrap_py.package.PackageTree attribute), 8
prefix_lic (bootstrap_py.classifiers.Classifiers attribute), 8
prefix_status (bootstrap_py.classifiers.Classifiers attribute), 8
print_licences() (in module bootstrap_py.control), 7
PYPI_URL (in module bootstrap_py.pypi), 9

R

retrieve_metadata() (in module bootstrap_py.control), 7

S

status() (bootstrap_py.classifiers.Classifiers method), 8
suffix (bootstrap_py.package.PackageTree attribute), 8

T

`template_name` (*bootstrap.py.package.PackageTree attribute*), 8
`to_dict()` (*bootstrap.py.package.PackageData method*), 8

U

`url` (*bootstrap.py.classifiers.Classifiers attribute*), 8

V

`VCS` (*class in bootstrap.py.vcs*), 9
`vcs_init()` (*bootstrap.py.package.PackageTree method*), 8

W

`warning_message` (*bootstrap.py.package.PackageData attribute*), 8
`with_traceback()` (*bootstrap.py.exceptions.BackendFailure method*), 10
`with_traceback()` (*bootstrap.py.exceptions.Conflict method*), 9
`with_traceback()` (*bootstrap.py.exceptions.Error method*), 9
`with_traceback()` (*bootstrap.py.exceptions.NotFound method*), 9